

TRANSMITTAL SLIP		DATE
TO: <i>ADDA</i>		
ROOM NO.	BUILDING	
REMARKS:		
<i>EXA</i> <i>CS</i> <i>04 DEC 1987</i> <i>ADDA</i> <i>1</i> <i>DDA</i> <i>1</i> <i>DEC 1987</i> <i>DDA / Registry</i>		
FROM: <span style="border: 1px solid black; display: inline-block; width: 100px; height: 1.2em; vertical-align: middle;"></span>		
ROOM NO.	BUILDING	EXTENSION

FORM NO. 241  
 REPLACES FORM 36-8  
 WHICH MAY BE USED.

(47)

~~CONFIDENTIAL~~DD/A ~~SECURITY~~  
87-2577x

2 December 1987

MEMORANDUM FOR: Director of Logistics

FROM: 

SUBJECT: Deteriorated State of Key Building

1. As you are probably aware the trials of operating out of Key Building are never ending. On Monday, 23 November, the building was without heat until late afternoon. Although we were never able to ascertain exactly what happened we were told that a water pipe had broken (rusted through) over the weekend and all of the (heated) water in the system had been lost.

2. Presently the OMS Safety Inspectors are working in our area. A large number of electrical outlets, including those supporting our WANG Alliance terminals, have been declared unsafe. We have been advised to unplug a critical number of terminals which we depend upon. Power outages continue to plague us on a daily basis.

3. As you probably know by now, as far as logistical problems at Key Building are concerned, this is just the tip of the iceberg. With this in mind, I would like you to consider engaging the Tiger Team approach to the Key Building complex. Faced with our safety inspectors' report, the owners of the building would probably welcome "free maintenance" by our Tiger Team. Any legal issues could probably be resolved by our lawyers working out an addendum to the existing contract with the owner's legal representatives.

4. I strongly urge you to approve the Tiger Team route for us. Our situation here at Key Building is appalling. It has contributed to low morale  employees and has hampered efforts to invigorate our program. I look forward to hearing from you.

cc:

✓ADDA

~~CONFIDENTIAL~~